

## Safety Data Sheet



### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name** | Superflake(TM) Hot Oven Chain Lubricant

**Product Code** |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified use(s)** | Lubricant

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer** | Superior Graphite  
10 S. Riverside Plaza  
Chicago, IL 60606  
United States

**Telephone (General)** | 312-559-2999 - (8am-5pm CST, M-F)

#### 1.4 Emergency telephone number

**Manufacturer** | 1-800-424-9300 - For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

**Manufacturer** | +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

### Section 2: Hazards Identification

#### EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]  
According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

**CLP** | Not classified

#### 2.2 Label Elements

**CLP**  
**Hazard statements** | No label element(s) required

**DSD/DPD**  
**Risk phrases** | No label element(s) required

#### 2.3 Other Hazards

**CLP** | According to Regulation (EC) No. 1272/2008 (CLP) this material is not considered hazardous.

**DSD/DPD** | According to European Directive 1999/45/EC this material is not considered dangerous.

#### United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

**2.1 Classification of the substance or mixture**

OSHA HCS 2012 | No data available

**2.2 Label elements**

OSHA HCS 2012

**Hazard statements** | No label element(s) required**2.3 Other hazards**

OSHA HCS 2012 | This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard.

**Canada**

According to: WHMIS

**2.1 Classification of the substance or mixture**

WHMIS | No data available

**2.2 Label elements**

WHMIS | No label element(s) required.

**2.3 Other hazards**

WHMIS | In Canada, the product mentioned above is not considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

**Section 3-Composition/Information on Ingredients****3.1 Substances**

| Material does not meet the criteria of a substance.

**3.2 Mixtures**

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Graphite	CAS:7782-42-5 EC Number:231-955-3	< 40%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Comb. Dust	NDA
Quartz	CAS:14808-60-7 EC Number:238-878-4	< 1%	NDA	EU DSD/DPD: T; R48/20; Carc. Cat. 1; R49 EU CLP: STOT RE 1 (Lungs, Inhl), H372; Carc. 1A, H350 OSHA HCS 2012: STOT RE 1 (Lungs, Inhl); Carc. 1A	Less than 0.1% is respirable

See Section 16 for full text of H-statements and R-phrases.

**Section 4-First Aid Measures**

## 4.1 Description of first aid measures

- Inhalation** | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if symptoms occur.
- Skin** | In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Wash skin with soap and water. Remove clothing and wash thoroughly before use.
- Eye** | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion** | Do NOT induce vomiting. Get medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

- | Refer to Section 11 - Toxicological Information.

## 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician** | All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

- Suitable Extinguishing Media** | In case of fire use media as appropriate for surrounding fire.

- Unsuitable Extinguishing Media** | No data available

### 5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards** | None known.

- Hazardous Combustion Products** | No data available

### 5.3 Advice for firefighters

- | Fire fighters should wear complete protective clothing including self-contained breathing apparatus.  
Structural firefighters' protective clothing will only provide limited protection.  
Wear positive pressure self-contained breathing apparatus (SCBA).

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions** | Ensure adequate ventilation to remove vapors, fumes, dust etc. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Emergency Procedures** | Keep unauthorized personnel away. Stay upwind.

### 6.2 Environmental precautions

- | Prevent entry into waterways and sewers.

### 6.3 Methods and material for containment and cleaning up

- Containment/Clean-up Measures** | Stop leak if you can do it without risk.  
Clean up area with absorbent material and place in closed containers for disposal.  
LARGE SPILLS: Dike far ahead of liquid spill for later disposal.

### 6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

Use only in well ventilated areas. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing mist, vapours and/or spray. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

Keep container tightly closed. Store above freezing temperature.

### 7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Quartz (14808-60-7)	TWAs	0.025 mg/m <sup>3</sup> TWA (respirable fraction)	0.05 mg/m <sup>3</sup> TWA (respirable dust)	Not established
Graphite as Particulates not otherwise classified (PNOC)	TWAs	2 mg/m <sup>3</sup> TWA (all forms except graphite fibers, respirable fraction)	2.5 mg/m <sup>3</sup> TWA (natural, respirable dust)	15 mg/m <sup>3</sup> TWA (synthetic, total dust); 5 mg/m <sup>3</sup> TWA (synthetic, respirable fraction)

### Exposure Limits Supplemental

#### OSHA

• Graphite (7782-42-5): **Mineral Dusts:** (15 mppcf TWA (natural))

• Quartz (14808-60-7): **Mineral Dusts:** ((30)/(%SiO<sub>2</sub> + 2) mg/m<sup>3</sup> TWA, total dust; (250)/(%SiO<sub>2</sub> + 5) mppcf TWA, respirable fraction; (10)/(%SiO<sub>2</sub> + 2) mg/m<sup>3</sup> TWA, respirable fraction)

### 8.2 Exposure controls

#### Engineering

#### Measures/Controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal Protective Equipment

##### Respiratory

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

##### Eye/Face

Wear chemical splash safety goggles.

##### Skin/Body

Wear protective clothing and gloves.

#### Environmental Exposure Controls

Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9-Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Gray/black liquid with no odor.
Color	Gray/black	Odor	No odor.
Odor Threshold	Data lacking		
General Properties			
Boiling Point	212 F(100 C)	Melting Point	32 F(0 C)
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	= 1.03	Water Solubility	Miscible
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

### 9.2 Other Information

| No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

| No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

| Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

| Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

| Incompatible materials.

### 10.5 Incompatible materials

| Strong oxidizing agents, acids, and alkalis.

### 10.6 Hazardous decomposition products

| On burning may release carbon dioxide and carbon monoxide.

## Section 11-Toxicological Information

### 11.1 Information on toxicological effects

Components		
Quartz (< 1%)	14808-60-7	<b>Multi-dose Toxicity:</b> Inhalation-Hamster TCLo • 3 mg/m <sup>3</sup> 6 Hour(s) 78 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis (interstitial); Lungs, Thorax, or Respiration:Changes in lung weight;</i> Inhalation-Rat TCLo • 80 mg/m <sup>3</sup> 26 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Blood:Changes in spleen; Immunological Including Allergic:Decrease in cellular immune response;</i> <b>Tumorigen / Carcinogen:</b> Inhalation-Rat TCLo • 50 mg/m <sup>3</sup> 6 Hour(s) 71 Week(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Liver:Tumors</i>

GHS Properties	Classification
Acute toxicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Carcinogenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Skin sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
STOT-RE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
STOT-SE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Respiratory sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

## Potential Health Effects

### Inhalation

- Acute (Immediate)      ■ No data available
- Chronic (Delayed)      ■ No data available

### Skin

- Acute (Immediate)      ■ May cause irritation.
- Chronic (Delayed)      ■ No data available

### Eye

- Acute (Immediate)      ■ May cause irritation.
- Chronic (Delayed)      ■ No data available

### Ingestion

- Acute (Immediate)      ■ No data available
- Chronic (Delayed)      ■ No data available

Carcinogenic Effects			
	CAS	IARC	NTP
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

**Key to abbreviations**

TC = Toxic Concentration

**Section 12 - Ecological Information****12.1 Toxicity**

- Material data lacking.

**12.2 Persistence and degradability**

- Material data lacking.

**12.3 Bioaccumulative potential**

- Material data lacking.

**12.4 Mobility in Soil**

- Material data lacking.

**12.5 Results of PBT and vPvB assessment**

- PBT and vPvB assessment has not been conducted for this material.

**12.6 Other adverse effects**

- No studies have been found.

**Section 13 - Disposal Considerations****13.1 Waste treatment methods**

**Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

**14.6 Special precautions for user**

- None specified.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

- Data lacking.

## Section 15-Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications** | No data available

Inventory					
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS
Graphite	7782-42-5	Yes	No	Yes	No
Quartz	14808-60-7	Yes	No	Yes	No

### Canada

#### Labor

##### Canada - WHMIS - Classifications of Substances

• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
• Graphite	7782-42-5	D2A (natural); D2B (synthetic)

##### Canada - WHMIS - Ingredient Disclosure List

• Quartz	14808-60-7	1 %
• Graphite	7782-42-5	Not Listed

#### Environment

##### Canada - CEPA - Priority Substances List

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

### Europe

#### Other

##### EU - Hazardous Substances Restricted or Prohibited in Electrical Equipment (2011/65/EU) (RoHS)

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

### Japan

#### Environment

##### Inventory - Japan - Industrial Safety and Health Law Substances (ISHL)

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

#### Other

##### Japan - Chemical Substance Control Law (CSCL) - Monitoring Chemical Substances

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

##### Japan - Poisonous and Deleterious Substances - Substances Not Considered Deleterious



• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**Japan - Poisonous and Deleterious Substances - Substances Not Considered Poisonous**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**United States****Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - OSHA - Specifically Regulated Chemicals**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**United States - California****Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Quartz	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)
• Graphite	7782-42-5	Not Listed

**U.S. - California - Proposition 65 - Developmental Toxicity**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Quartz	14808-60-7	Not Listed
• Graphite	7782-42-5	Not Listed

**15.2 Chemical Safety Assessment**

| No Chemical Safety Assessment has been carried out.

**15.3 Other Information**

| WARNING: This product contains a chemical known to the State of California to cause cancer.

**Section 16-Other Information**

**Relevant Phrases (code & full text)**

| H372 - Causes damage to organs through prolonged or repeated exposure.  
 | R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.

**Last Revision Date** | 25/April/2015

**Preparation Date** | 24/April/2015

**Disclaimer/Statement of Liability** | The information contained herein is based on data available. However, no warranty is expressed or implied regarding the accuracy of the data or the results obtained from the use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.

**Key to abbreviations**

NDA = No data available